

ISUS NEXT

Innovation is at the core of everything we do.

We're not just another technology brand; we're here to redefine the way you experience everyday life. Our philosophy goes beyond mere brute performance. We draw inspiration from the ever-evolving world of technology to cast a fresh perspective on electrical appliances.

Our vision encompasses products that transcend the role of being fundamental appliances in a consumer's life.

So, welcome to the future of appliances – where innovation meets your needs, where technology elevates emotions.

This is Nex.

Feel the Future.



NEX TECH

Aeirology[™] is our innovative technology platform that delivers an elevated air experience, with **20% higher air thrust***.

Tech that revolutionises fan performance by rethinking motor, blade design, and user convenience.



20% HIGHER AIR THRUST*

powered by _____

A E I R O L O G Y TM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

WORLD OF AEIROLOGYTM



PEAKTORQ™ BLDC

Custom-tuned Brushless DC motor with 100% copper winding that delivers exceptional torque & power.




SHARQFIN™ LOW NOISE DESIGN[^]

Bio-Inspired blade construct to reduce drag, improve efficiency and minimize noise.



POINT ANYWHERE REMOTE

Conveniently control your fan from the comfort of your bed or sofa with the Nex RF remote.





INNOVATIVE AIRFLUENCE™ ABS BLADE

Specially designed & Aerofoil ABS
Plastic blades optimised to maximise air thrust.



ADJUSTABLE DOWNROD COVER

Fluidic and seamless design for easy installation.



IOT ENABLED

Wi-fi enabled fan that can be controlled using Nex app & easy voice commands via Alexa and Google Home



WHY HIGHER AIR THRUST?

Higher RPM doesn't guarantee more airflow in a fan; it only measures motor rotation, not air movement.

Air Delivery merely measures the volume of air displaced through the fan and does not solve the real problem of air under the fan.

Air thrust, on the other hand, is a metric which measures what matters, which is the actual force of air experienced under the fan.

Nex fans deliver 20% higher air thrust*.

20% HIGHER AIR THRUST*

powered by _____

A E I R O L O G Y TM

EXPERIENCE 20% HIGHER AIR THRUST* WITH NEX FANS





NEX FAN

CONVENTIONAL FAN

Product images are for representation purpose.

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star rated fan.



Dynamic details of our fans bring out the concept of peak performance.

The contemporary appearance and seamless design aesthetics elevate your core experience.





LAYERED INTELLIGENCE

Layered design elements for a sleek look



AIR SCULPTED

Apperance of being moulded by moving air



STATIC MOTION

Designed to appear in motion even when static



COMPELLING STANCE

Derived through a clean silhouette



Our range of ceiling fans, the **Dryft** and **Glyde** series, powered by **Aeirology™** that give **20% higher air thrust***, are the epitome of comfort, look stunning and give higher power savings.

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.



DRYFT SERIES

Harnessing motion to elevate human experience.

This is Nex Dryft.

SharqFin[™] low noise design[^] fans integrated with AirFluence[™] ABS Blade and PeakTorq[™] motor for 20% higher air thrust*.

20% HIGHER AIR THRUST'

powered by _____

A E I R O L O G Y **



^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs conventional star-rated fan. ^Aerofoil ABS blades resulting in low noise vs. metal blades.





NEX DRYFT A95 BLDC IoT

WiFi enabled fan that operates with the Nex mobile app. It is Alexa & Google assistant device compatible. Powered by custom-tuned PeakTorq™ BLDC motor, Innovative AirFluence™ ABS blades that have bio-inspired SharqFin™ Low Noise Design^ profile to deliver 20% higher air thrust*.









SuperSaver Save upto ₹5560 annually**~







Innovative AirFluence™ ABS Blade



PeakTorq™ BLDC



Point Anywhere Remote



SharqFin™ Low Noise Design^

Air Delivery - 250 CMM

Motor - PeakTorg™ BLDC


Power - 41 watt

Speed - 340 RPM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

[~]Yearly savings vs. conventional non-star minimum requirement, based on 16-hour daily usage at INR 7/kWh.

^{**}Annual savings for 4 fans. ^Aerofoil ABS blades resulting in low noise vs. metal blades.





NEX DRYFT A90 BLDC

A fan equipped with custom-tuned PeakTorq[™] BLDC motor and 100% copper winding that saves up to ₹ 5560 per annum. It is also equipped with Innovative AirFluence[™] ABS blade with SharqFin[™] low noise design to deliver 20% Higher Air Thrust*.















PeakTorq™ BLDC



Point Anywhere Remote



SharqFin™ Low Noise Design^

Air Delivery - 250 CMM

Motor - PeakTorg™ BLDC

Power - 41 watt

Speed - 340 RPM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

[~]Yearly savings vs. conventional non-star minimum requirement, based on 16-hour daily usage at INR 7/kWh.

^{**}Annual savings for 4 fans. ^Aerofoil ABS blades resulting in low noise vs. metal blades.





NEX DRYFT A90

A fan that's the blend of intuitive design and exceptional performance with custom-tuned PeakTorq™ high stack induction motor and Innovative AirFluence™ ABS blade with SharqFin™ Low Noise Design that delivers 20% Higher Air Thrust*.







Innovative AirFluence™ ABS Blade



PeakTorg™



Adjustable Downrod Cover



SharqFin™ Low Noise Design^

Air Delivery - 250 CMM

Motor - PeakTorg™

Power - 62 watt

Speed - 340 RPM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

[^]Aerofoil ABS blades resulting in low noise vs. metal blades.



GLYDE

Reimagining the ordinary for extraordinary performance. **This is Nex Glyde.**

Premium decorative fans with **20% Higher Air Thrust***.

20% HIGHER AIR THRUST*

powered by AEIROLOGY**

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.







NEX GLYDE A80 BLDC

A fan that takes fluidic design to the next level with AirFluence™ Tangential blade, equipped with custom-tuned PeakTorq™ BLDC motor with 100% copper winding that saves up to ₹ 6867 per annum and delivers 20% Higher Air Thrust*.









SuperSaver Save upto ₹6867 annually**~



AirFluence™ Tangential B<u>lade</u>



PeakTorq™ BLDC



Remote Control Operation



Adjustable Downrod Cover

Air Delivery - 230 CMM

Motor - PeakTorg™ BLDC

Power - 33 watt

Speed - 370 RPM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

[~]Yearly savings vs. conventional non-star minimum requirement, based on 16-hour daily usage at INR 7/kWh.

^{**}Annual savings for 4 fans. ^Aerofoil ABS blades resulting in low noise vs. metal blades.





NEX GLYDE A70 BLDC

A fan that elevates your comfort and convenience with IR remote technology. Equipped with a custom-tuned PeakTorq™ BLDC Motor with 100% copper winding and Airfluence™ Aluminium Blade to deliver 20% Higher Air Thrust*.









SuperSaver Save upto ₹6867 annually**~



AirFluence™ Aluminium Blade



PeakTorq™ BLDC



Remote Control Operation



Adjustable Downrod Cover

Air Delivery - 230 CMM

Motor - PeakTorg™ BLDC

Power - 33 watt

Speed - 370 RPM

Sweep - 1200 MM

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

~Yearly savings vs. conventional non-star minimum requirement, based on 16-hour daily usage at INR 7/kWh.

**Annual savings for 4 fans. ^Aerofoil ABS blades resulting in low noise vs. metal blades.





Re-imagined to maximise air thrust with the AirFluence™ Aluminium blade and custom-tuned PeakTorq™ high stack induction motor with 100% copper winding that delivers exceptional torque and power for 20% Higher Air Thrust*.







AirFluence™ Aluminium Blade



PeakTorg™ Motor



Hi-Speed



EasyClean


Air Delivery - 240 CMM

Motor - PeakTorq™ Motor

Power - 52 watt

Speed - 380 RPM

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.





Superior performance and savings with BEE 4-Star rated, custom-tuned PeakTorq[™] high stack induction motor that delivers exceptional torque and 20% Higher Air Thrust* while saving up to ₹ 5723 annually**~.













PeakTorq™ Motor



Adjustable Downrod Cover



EasyClean

Air Delivery - 220 CMM

Motor - PeakTorg™

Power - 40 watt

Speed - 340 RPM

Sweep - 1200 MM

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.

~Yearly savings vs. conventional non-star minimum requirement, based on 16-hour daily usage at INR 7/kWh.

**Annual savings for 4 fans.





Experience dynamic performance with the AirFluence™ Aluminum blade along with the custom-tuned PeakTorq™ high stack induction motor with 100% copper winding that improves efficiency and delivers 20% Higher Air Thrust*

20% HIGHER AIR THRUST'

powered by AEIROLOGY









PeakTorq™ Motor



Adjustable Downrod Cover



EasyClean

Air Delivery - 240 CMM

Motor - PeakTorg™

Power - 52 watt

Speed - 380 RPM

Sweep - 1200 MM

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.





Design and performance that elevate your senses with the AirFluence™ Aluminium blade and the custom-tuned PeakTorq™ high stack induction motor with 100% copper winding that results in exceptional torque to deliver 20% Higher Air Thrust*.







AirFluence™ Aluminium Blade



PeakTorq™ Motor



Adjustable Downrod Cover



EasyClean

Air Delivery - 240 CMM

Motor - PeakTorg™

Power - 52 watt

Speed - 380 RPM

Sweep - 1200 MM

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.





The blend of design and performance with the custom-tuned PeakTorq[™] high stack induction motor with 100% copper winding for exceptional torque and the AirFluence[™] Aluminium blade to deliver 20% Higher Air Thrust*.







AirFluence™ Aluminium Blade



PeakTorq™ Motor



Adjustable Downrod Cover



EasyClean

Air Delivery - 240 CMM


Motor - PeakTorg™

Power - 52 watt

Speed - 380 RPM


Sweep - 1200 MM

*Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.



20)%	HIC	HER
		red by	
ΑE	IRO	LO	GY"










FEATURES & SPECS	PRODUCT NAME	NEX DRYFT A95 BLDC IOT	NEX DRYFT A90 BLDC	NEX DRYFT A90	NEX GLYDE A80 BLDC
BLADES	Airfluence™ Blades	ABS	ABS	ABS	Al
	SharqFin™ Low Noise Design	Υ	Y	Y	
MOTOR	PeakTorq™ Motor	BLDC	BLDC	Induction	BLDC
ENERGY SAVER	BEE Rating	5	5	1	5
	Super Saver	₹5560/-	₹5560/-		₹6867/-
CONVENIENCE	Remote Control Operation	Y (RF)	Y (RF)		Y (IR)
	Nex App & Voice Control	Υ			
	Adjustable Down Rod	Υ	Y	Y	Y
SPECS	RPM	340	340	340	370
	Watt	41	41	62	33
	AD	250	250	250	230
	Sweep	1200	1200	1200	1200
COLOUR VARIANT		• •	• • •	• •	• •

^{*}Tested and verified by DSIR laboratory, with air thrust under the fan vs. conventional star-rated fan.





Energy Saving

PeakTorq™ BLDC Motor

Dryft A95 BLDC IoT Dryft A90 BLDC Glyde A80 BLDC Glyde A70 BLDC

Low Noise

SharqFin[™] Low Noise Design[°]

Dryft A95 BLDC IoT Dryft A90 BLDC Dryft A90

Ease of Access

IoT Enabled

Dryft A95 BLDC IoT

Remote Operated

Dryft A95 BLDC IoT Dryft A90 BLDC Glyde A80 BLDC Glyde A70 BLDC

Standard Fans

Works With Regulator

Glyde A60 Glyde A50 Glyde A40 Glyde A30 Glyde A25

[^]Aerofoil ABS blades resulting in low noise vs. metal blades.

INTRODUCING P

Table Pedestal Wall fans


The range of Nex TPW fans powered by Aeirology™ for **20% Higher Air Thrust*** are designed for enhanced stability and superior performance that add a sense of ease into life.



*Tested and verified by DSIR laboratory for air thrust vs. top selling normal speed pedestal fans as per independent market agency report "Market Pulse" for FY21 - FY22. Aeirology is a trademark of Bajaj Electricals Ltd.



FEATURES




PEAKTORQTM MOTOR

Custom-tuned 100% copper motor for exceptional performance.



AIR THROW
High air throw
up to 18 ft.



LOW NOISE Engineered for low noise[^].



AIRFLUENCE™ ABS BLADE
Designed to be 60% stronger than plastic blades.



^In comparison with High Speed TPW fans.

DESIGN HIGHLIGHTS



Fluidic surface to create a compelling stance.

Directional fade adds the static motion element.



Directional fade adds the static motion element.



Absorbing focus on user interaction panel through precision texture.



Dynamic detailing to emphasize static motion.



NEX GLYDE A5 TABLE

Innovation driven by intuition that's equipped with PeakTorq[™] motor with 100% copper winding that delivers higher air throw up to 18 Ft., Innovative AirFluence[™] ABS blade and is engineered for low noise levels to deliver 20% Higher Air Thrust*.







Innovative AirFluence™ ABS Blade



PeakTorq™ Motor



Smooth Oscillation



Low Noise[^]



High Air Throw

Blade Material - ABS

Motor - PeakTorg™ Motor

Air Throw - 18 ft.

Air Delivery - 82 CMM

Speed - 1350 RPM

Sweep - 400 MM

^{*}Tested and verified by DSIR laboratory for air thrust vs. top selling normal speed pedestal fans as per independent market agency report "Market Pulse" for FY21 - FY22. Aeirology is a trademark of Bajaj Electricals Ltd. ^In comparison with High Speed TPW fans.





NEX GLYDE A5 PEDESTAL

Engineered for improved stability and convenience with Innovative AirFluence™ ABS blade, Telescopic Height Adjustment feature and the PeakTorq™ motor with 100% copper winding to deliver 20% Higher Air Thrust*.







Innovative AirFluence™ ABS Blade



PeakTorq™ Motor



Smooth Oscillation



Low Noise[^]



High Air Throw

Blade Material - ABS

Motor - PeakTorg™ Motor

Air Throw - 18 ft.

Air Delivery - 82 CMM

Speed - 1350 RPM

Sweep - 400 MM

^{*}Tested and verified by DSIR laboratory for air thrust vs. top selling normal speed pedestal fans as per independent market agency report "Market Pulse" for FY21 - FY22. Aeirology is a trademark of Bajaj Electricals Ltd. ^In comparison with High Speed TPW fans.





NEX GLYDE A5 WALL

Fan with a sleek design that's also equipped with the PeakTorg™ motor with 100% copper winding, AirFluence™ ABS blade and is engineered for low noise levels to deliver 20% Higher Air Thrust*.







Innovative AirFluence™ ABS Blade



PeakTorq™ Motor



Smooth Oscillation



Low Noise[^]



High Air Throw

Blade Material - ABS

Motor - PeakTorq™ Motor


Air Throw - 18 ft.

Air Delivery - 82 CMM

Speed - 1350 RPM

Sweep - 400 MM

^{*}Tested and verified by DSIR laboratory for air thrust vs. top selling normal speed pedestal fans as per independent market agency report "Market Pulse" for FY21 - FY22. Aeirology is a trademark of Bajaj Electricals Ltd. ^In comparison with High Speed TPW fans.





Nex servicing is available in a vast network






6-MONTH Extended Warranty on Registration

To avail 6-month extended warranty, scan the QR code on the packaging carton or visit www.nexlife.in/Support/Warrantyregistration

For free installation* requests or queries, reach out to our customer care at



KNOW MORE ABOUT NEX



LinkedIn



Instagram



Facebook



YouTube



www.nexlife.in

For service / complaint please write to us at : care@nexlife.in or Consumer Care Cell, Bajaj Electricals Ltd., Rustomjee Aspire, Bhanu Shankar Yagnik Marg, Off. Eastern Express Highway, Sion (East), Mumbai 400 022.

